

ELFMATIC J6 can be used on recent Japanese AT.

Technical Data Sheet

Manufacturers
Approvals

Approved :
NISSAN MATIC-J
RENAULT AJ0 AND AJ8 AUTOMATIC TRANSMISSIONS

* Refer to the maintenance book of your vehicle to know the recommendation of the manufacturer.

1 - Applications

ELFMATIC J6 meets the requirements of gearboxes with Electronic Control Transmission and EC Lock Up.

2 - Customer Benefits

High-quality automatic transmission fluid that performs well under low temperatures, ensures smooth shifting in all conditions.

Provides protection against wear and extreme pressure, and maintains its performance throughout the life of the gearbox.

It also offers excellent thermal stability and oxidation resistance, making it a reliable choice for optimal gearbox performance.

3 - Characteristics

TEST	TEST METHOD	UNITS	VALUE
Density at 15°C	ASTM D1298	kg/m ³	870
Kinematic Viscosity at 40°C	ASTM D445	mm ² /s	33
Kinematic Viscosity at 100°C	ASTM D445	mm ² /s	7.4
Viscosity index	ASTM D2270	-	183
Pour point	ASTM D97	°C	
Flash point	ASTM D92	°C	182
TBN	ASTM D2896	mgKOH/g	-
Sulphated Ash	ASTM D874	% m/m	-

* The characteristics given above are obtained with a standard tolerance threshold during production and may not be considered specifications.

4 - Recommendations for Use

Before using the product, the vehicle's maintenance guide should be checked. Oil changes should be carried out in accordance with the manufacturer's recommendations.

The product should not be stored at temperatures over 60°C. It should be kept away from sunlight, intense cold and extreme temperature fluctuations. If possible, the packaging should not be exposed to the elements.

Otherwise, the drums should be laid horizontally in order to avoid any contamination from water and to prevent the product's label from rubbing off.

5 - Health, Safety and The Environment

Based on the toxicological information available, this product should not cause any adverse health effects, provided it is used for its intended purpose and in accordance with the recommendations laid out in the Safety Data Sheet (SDS).

The Safety Data Sheet can be obtained on request from your local reseller and is available for consultation at <https://ms-sds.totalenergies.com>.

This product should not be used for any purposes other than the ones for which it is intended.